



Goldseal Tradeline Ltd

Boro' Corn Mill

Clarence Street

Chorley

PR7 2BJ

13


EN 14351-1:2006 + A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT  
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

System: PVCu or Timber Windows and Doors

<u>Characteristics</u>	Declared Value
Dangerous Substances	None
Thermal Transmittance	$\leq 3.4W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Watertightness	npd
Impact Resistance	npd
Radiation Properties	npd
Accoustic Performance	npd
Air Permiability	npd

This declaration relates to a worst case scenario and as such all our products will give an equal to or better than performance to those quoted

Signed:  .....

Date: 6/6/13 .....

Position: DIRECTOR .....



BS EN 14351-1:2006+A1:2010

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT  
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

THIS IS TO CERTIFY THAT

**Goldseal Tradeline Ltd**

of

**Boro' Corn Mill**

**Clarence Street**

**Chorley**

HAVE CONFORMED WITH EN 14351-1:A1:2010 ANNEX ZA

FOR

WINDOWS AND DOORS INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING WITH EN 14351-1:A1:2010  
ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND PERFORMANCE INDICATION PAPERS FOR ALL  
COMPONENTS

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

DANGEROUS SUBSTANCES - Clause 4.6

LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

THERMAL TRANSMITTANCE - Clause 4.12

Signed.....

Date: 6/6/13.....



Position: DIRECTOR.....


# Energy Window

Goldseal Tradeline

## PVC U Casement Window

70 mm Goldseal Energy Casement (A) Suite

 <p>A scale of seven arrow-shaped boxes pointing right, labeled A through G. The colors transition from dark green (A) to light green (C), yellow (D), orange (E), red (F), and brown (G).</p>	 <p>A green arrow-shaped box pointing left, containing the letter 'A'.</p>
<p>Energy Index (kWh/m<sup>2</sup>/year) (Energy Index certified by BFRC and based on UK standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)</p> <p>The climate zone is:</p>	<p>0</p> <p>UK</p>
<p>Thermal Transmittance (<math>U_{\text{window}}</math>) Solar Factor (<math>g_{\text{window}}</math>) Effective Air Leakage (<math>L_{\text{factor}}</math>)</p>	<p>1.4 W/m<sup>2</sup>.K 0.43 0.00 W/m<sup>2</sup>.K</p>



Reg. No.: 2485 AR186  
[www.bfrc.org](http://www.bfrc.org)

This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.